749874

### RESEARCH IN SEISMOLOGY

Cal Killing and O to W Nuttli

Department of Sart and Atmorpheric Sciences
Saint Louis University
St. Louis, Missouri 63103

Contract No. F19628-7G-C-0036 Project No. 8652

## SEMI-ANNUAL TECHNICAL REPORT

31 July 1972

Contract Monitor: Stanley M. Needleman Terrestrial Sciences Laboratory

Approved for public release; distribution unlimited.

NA TE HN. AL

Sponsored by
Defense Advanced Research Projects Agency
ARPA Order No. 0292

Air Force Cambridge Research Laboratories
Air Force Systems Command
United States Air Force
Bedford, Massachusetts 01730



## BEST AVAILABLE COPY

AR A cuter and 9002

Programs Seda has OF48

Sath Louis Lille pully.

Billerites data of qualitarite

1 Suprember field

Compact has Extended to the

Division to the little and the later than the later

AFTHLONG CONTINUE AND SECRETARY MANAGEMENT AND SECRETARY MANAGEMENT AND SECRETARY SECRETARY AND SECR

C n zpir tion go filler i in



Qualified requectors may obtain additional expi from the Defense Documentation Center. All others should apply to the National Technical Information Service.

Security Classification						
DOCUMENT CONT						
(Security classification of title, body of abstract and indexing 1 ORIGINATING ACTIVITY (Corporate author)	annotation must be	intered when the	overall repost to classified)			
Saint Louis University		Unclassified  th. Group				
Department of Earth and Atmospheric	Sciences					
St. Louis, Missouri 63103						
I REPORT TITLE	****		· · · · · · · · · · · · · · · · · · ·			
RESEARCH IN SEISMOLOGY						
4 DESCRIPTIVE NOTES (Type of report and inclusive dates)						
Scientific. Interim.						
S AUTHORISI (First name, widdle initial, last name)						
Carl Kisslinger						
Otto W. Nuttli						
S. REPORT DATE	74. TOTAL NO O	F PAGES	78. NO. OF REFS			
31 July 1972	8		7			
F19628-70-C-0036	96. ORIGINATOR'S REPORT NUMBERIS!					
b. PROJECT NO., Task, Work Unit Nos.	Semi-Annual Technical Report					
8652 n/a n/a						
•DoD Element 62701D	eb. OTHER REPO	<ul> <li>OTHER REPORT NOISI (Any other numbers that may be assigned this report)</li> </ul>				
<b>.</b> DoD Subelement n/a	AFCRL-72-0405					
10. DISTRIBUTION STATEMENT						
A - Approved for public release; di	stribution	unlimite	ed.			
			-			
11. SUPPLEMENTARY NOTES	12 SPONSORING		• • • •			
This research was supported by the	Air Force Cambridge Research Laboratories (LW)					
Defense Advanced Research Projects	L. G. Han	scom Fie]	d setts 01730			
Agency.	Bedford.	Massachus	setts 01730			
This report concerns research re	lated to t	he discri	mination between			

This report concerns research related to the discrimination between small-magnitude earthquakes and explosions. The principal findings are:

The source spectra of small-magnitude earthquakes in the New Madrid (Lower Mississippi Valley) seismic region can be divided into two classes, one of which is deficient in low-frequency energy.

In most cases the source spectrum of P waves from deep-focus South American earthquakes is flat at the low frequencies and falls off as the inverse square of the frequency at the high frequencies.

The absorption of surface waves is much smaller east of the Rocky Mountains than west of them. This fact must be taken into account when computing surface-wave magnitudes of small events.

1 A

Security Classification  14. KEY WORDS	LIN	K A	LINK		LINK C		
		ROLE	WT	ROLE	WT	POLE	
Source spectrum						1	
Carthquake magnitudes				j			
Seismic body waves				}		1	
Earthquake magnitudes Seismic body waves Seismic surface waves							
		1 1				1	
				li			
		1 1				ł	ŀ
		1 1		1 1			
		1 1					
						1	
		1					
		1					
		1 1					
			İ				
		1					
						j l	
		I I		l			
		T					
				İ			
				1		ı	
		1 1		ı			
		i i					
		ļ					
			- 1				
						1	
						- 1	
				i		_ 1	
		1		- 1			
	1		l		I		
			ļ	-			
			ľ				
			1		1		
					- 1		
			1				
						- 1	
			1				
					1	ſ	
	İB						

#### RESEARCH IN SEISMOLOGY

by Carl Kisslinger and Otto W. Nuttli

Department of Earth and Atmospheric Sciences
- Saint Louis University
St. Louis, Missouri 63103

Contract No. F19628-70-C-0036 Project No. 8652

### SEMI-ANNUAL TECHNICAL REPORT

31 July 1972

Contract Monitor: Stanley M. Needleman Terrestrial Sciences Laboratory

Approved for public release; distribution unlimited.

Sponsored by
Defense Advanced Research Projects Agency
ARPA Order No. 0292

Air Force Cambridge Research Laboratories
Air Force Systems Command
United States Air Force
Bedford, Massachusetts 01730

#### Introduction

During the six months covered by this report attention has been centered on problems related to discrimination of small-magnitude events. This includes studies on the shape of the source spectrum for shallow and deep events, on the attenuation of short-period surface waves, and of magnitude formulas for  $m_{\rm b}$  and  $M_{\rm s}$  that can be used for small events.

Eight earthquakes with m<sub>b</sub> values between 2 and 4 were detected, and their hypocentral coordinates determined, during the interval 1 January to 30 June, 1972. All these earthquakes were located in the New Madrid Seismic Zone. They provide additional data for our studies of the spectral properties and magnitude relations of small, shallow-depth events.

# Spectral Analysis Studies of Events in the New Madrid Seismic Zone.

A study of the spectral content of 17 earthquakes established that the earthquakes divide into two classes, one of which is deficient in low-frequency (long period) energy. The spectra were determined by both digital and analog methods, to rule out the possibility of errors in the calculation of the spectra. The two classes of earthquakes also differ in their macroseismic effects. The events deficient in the long-period motion are characterized by relatively higher intensity at the epicenter, but a smaller area of perceptibility.

The spectral differences are seen for both the P and S (or Lg) waves. As the cause of the differences is not yet certain, study is continuing to determine the explanation. The spectral differences appear not to be related to depth of focus or location within the seismic zone, but rather to something different in the faulting process.

The existence of small, shallow-depth earthquakes with spectra rich in high frequencies (or relatively poor in low frequencies) is important to the VELA-Uniform problem in terms of application of discrimination criteria.

# Spectral Analysis Studies of Deep-Focus South American Earthquakes.

Studies to determine the source spectrum of deep-focus South American earthquakes from seismograms obtained at South American stations were begun in the summer of 1971. During the six-month period covered by this report the data of more earthquakes were analyzed.

From the additional analyses we now can conclude that in most cases the source spectrum for the P waves falls off as f-2 for the high frequencies and is flat at the low frequencies. There is one exception to this statement; the spectrum of the 5 March 1965 earthquake calculated from the ANT seismograms is peaked at intermediate frequencies. The shape of these spectra is in general consistent with that predicted by the theories of Brune and of Ferckhemer and Jacob. Although both theories give seismic moments of the same order of magnitude, Brune's theory gives consistently longer fault lengths and lower scress drops.

### Attenuation and Magnitude Relations.

Studies of the attenuation of seismic surface waves have established that the empirical  $\rm M_L$  scale of Richter and  $\rm M_S$  scale of Gutenberg and Richter can be given a theoretical foundation. These studies further established that magnitude formulas of the type

 $M = B + C \log \Lambda + \log A/T,$ 

which are in common use, only are valid over a limited range of epicentral distances. Application of such formulas to data outside the range of validity will lead to incorrect magnitude determinations.

The attenuation studies also established that the absorption of short-period surface waves is much smaller east of the Rocky Mountains than west of them. Thus magnitude formulas which use data at regional distances (about 200 to 2000 km) that are obtained empirically from California and NTS events are not valid for Central United States earthquakes. In general they result in overestimation of the surface-wave magnitude.

Of interest to VELA-Uniform objectives is the likelihood that geologic structure, and thus surface-wave attenuation, of central Asia is likely more similar to that in the Central United States than to California and Nevada.

# Reports and Scientific Papers Produced during the Report Period.

- 1. AFCRL-72-0158, Scientific Report No. 6.

  Syed, A. A. and O. W. Nuttli, "A Method of Correcting P-Wave Magnitudes for the Erfect of Earthquake Focal Mechanism," Reprinted from Bulletin of the Seismological Society of America, 61: 1811-1826, 1971.
- 2. AFCRL-72-U159, Scientific Report No. 7.

  Syed, A. A., C. Kisslinger and O. W. Nuttli, "A Seismic Discriminant Based on Focal Mechanism," Reprinted from the Bulletin of the Seismological Society of America, 61: 1827-1830, 1971.
- 3. AFCRL-72-0316, Scientific Report No. 8

  Rogers, A. M., Jr. and C. Kisslinger, "The Effect of a Dipping Layer on P-Wave Transmission," Reprinted from the Bulletin of the Seismological Society of America, 62: 301-324, 1972.
- 4. AFCRL-72-0317, Scientific Report No. 9
  Nuttli, O. W., "The Amplitudes of Teleseismic P Waves,"
  Reprinted from the Bulletin of the Seismological
  Society of America, 62: 343-356, 1972.
- 5. AFCRL-72-0331, Scientific Report No. 10.

  Stauder, W. "Fault Motion and Spatially Bounded Character of Earthquakes in Amchitka Pass and the Delarof Islands," Reprinted from the Journal of Geophysical Research, 77: 2072-2080, 1972.
- 6. Rodriguez, R. and C. Kisslinger, "Spectral Classification of New Madrid Earthquakes," presented to 1972 Spring Meeting of the American Geophysical Union.
- 7. Nuttli, O. W. "Seismic Wave Attenuation and Magnitude Relations for Eastern North America," presented to 1972 Spring Meeting of the American Geophysical Union. (A manuscript of the same title has been submitted to the Journal of Geophysical Research.)